

TECHNICAL DATA SHEET NO: P14 VERSION: 1-2/2/09 PAGE: 1 OF 2 DATE OF ISSUE: 1/25/2013

# **EVERBUILD P14 CENTRAL HEATING SYSTEM INHIBITOR**



Colour	<b>Product Code</b>	Pack Size	<b>Box Qty</b>
-	P14INHIB1	1ltr	12

# **Product Description**

Formerly PROTEX by Purimachos

EVERBUILD P14 SYSTEM INHIBITOR is a multi-purpose treatment, specifically designed to protect the entire central heating system from scale, sludge and corrosion.

# **Benefits**

- WRAS Approved formulation.
- Buildcert Performance Standard
- Compatible with all EVERBUILD central heating products.
- Does not contain mineral oil.
- compatible with plastic and fiberglass header tanks and with all metals used in central heating systems which includes iron, copper, steel, brass and aluminium.
- Suitable for microbore systems constructed from plastic pipes

# **Areas for Use**

- New and existing central heating systems.
- Extensions to existing systems.

# Limitations

- Use only as directed.
- Only suitable for fully indirect systems.
- Not suitable for use in PRIMATIC single feed cylinders.
- Central heating systems should be protected with P14 SYSTEM INHIBITOR.

#### **Application**

For use in accordance with BS7593:2006. Unless completing annual top up, for best results, pre-treat the system with P11 SYSTEM CLEANSER prior to adding P14.

- 1) Locate the central heating feed and expansion tank.
- 2) Shake the bottle and pour contents into the tank.
- 3) P14 is gradually drawn into the system and provides full effect within 1-6 weeks.
- 4) Bleed radiators after 2-3 days and again after 2-3 weeks.



TECHNICAL DATA SHEET NO: P14 VERSION: 1-2/2/09 PAGE: 2 OF 2 DATE OF ISSUE: 1/25/2013

Alternatively P14 SYSTEM INHIBITOR can be added via a partially drained radiator.

# **Health & Safety**

Consult COSHH data sheet for full list of hazards.

# **Storage**

Store in original container away from frost in a dry area.

# Coverage

1ltr treats 70ltr system capacity

# **Shelf Life**

36 months in original unopened containers.

The technical data contained herein is based on our present knowledge and experience and we cannot be held liable for any errors, inaccuracies, omissions or editorial failings that result from technological changes or research between the date of issue of this document and the date the product is acquired. Before using the product, the user should carry out any necessary tests in order to ensure that the product is suitable for the intended application. Moreover, all users should contact the seller or the manufacturer of the product for additional technical information concerning its use if they think that the information in their possession needs to be clarified in any way, whether for normal use or a specific application of our product. Our guarantee applies within the context of the statutory regulations and provisions in force, current professional standards and in accordance with the stipulations set out in our general sales conditions. The information detailed in the present technical data sheet is given by way of indication and is not exhaustive. The same applies to any information provided verbally by telephone to any prospective or existing customer.